

PRODUCT OF DATA SHEET:

ALCO RUB

CONCENTRATED HAND SANITISER



ABOUT THE PRODUCT

Alcohol-based hand rub and surface disinfectant is the recommended method of hand hygiene in any healthcare setting when hands are not visibly soiled. HOSPITAL GRADE. ALCOHOL CONTAINING PREPARATION DESIGNED FOR APPLICATION TO HANDS LEGS, FEET AND HARD SURFACES

DIRECTIONS OF USE AND PROPERTIES

Apply 2 – 3 ml of product into the palms of dry hands. Spread evenly over hands, legs or feet with a washing action until dry. A one-step waterless procedure, no rinsing required. If you have applied a sufficient amount of hand rub, it should take at least 1 minute of rubbing before your hands feel dry. Same method for surfaces to be applied

ACTIVE INGREDIENT: ISO PROPYL ALCOHOL 70-80%

Colour: CLEAR
Appearance: Liquid
pH: 7

Density: 1.00Kg/Lt
Packaging: 1Lt; 5Lt; 25Lt; 210Lt
Smell: None

STORAGE AND HANDLING

1. Store in closed bottles in a dry place at a temperature not exceeding 30 C, protected from intense light and apart from flammable material, food products and packaging material.
2. Contact of the undiluted disinfectant or detergent and its fumes with eyes should be avoided.
3. Where necessary goggles should be worn when the disinfectant or detergent is being handled.
4. Unless recommended, the disinfectant or detergent should not be mixed with other incompatible substances (such as soap and other anionic detergents) where relevant.

HEALTH & SAFETY

- If ingested, seek medical attention.
- Eyes: Rinse with water. Seek medical care.
- Ingestion: Drink water. Seek medical care.
- Skin: Wash contact area with soap and water.
- Inhalation: Remove patient to fresh air.

Important: Always keep product out of children's reach. Ensure that the product lid remains closed and tightened at all times. Keep away from extreme heat and naked flame.

Disclaimer:

We do not accept liability for claims of any kind for any loss including, without limitation, consequential loss, injury or damage arising from the use of the products which are the subject matter hereof.

LOG 5 REDUCTION

Conforms to EN 1276 (Bacterial activity of chemical disinfectant for use in industrial, domestic and institutional areas) Unless recommended, the disinfectant or detergent should not be mixed with other incompatible substances (such as soap and other anionic detergents) where relevant.

EN1276-4 - ALCORUB

SECTION 1: CHEMICAL PRODUCT AND COMPANY INFORMATION

GHS Product identifier: EN1276-4 - ALCORUB

Other means of identification:

Not relevant

Recommended use of the chemical and restrictions on use:

Relevant uses (Consumer use):

- Product for the food industry

Relevant uses (Professional users):

- Product for the food industry

Relevant uses (Industrial user):

- Product for the food industry

Uses advised against:

- All uses not specified in this section or in section 7.3

Supplier's details:

Chemzone

Rivett-Carnet Street

1450 Alberton - Gauteng - South Africa

Phone: +27110231035

sales@chemzone.co.za

www.chemzone.co.za

Refer to technical data sheet for further addresses

Emergency phone number: 0823485716

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture:

SANS 10234:

Classification of this product has been carried out in accordance with SANS 10234:2008 Edition 1.1.

Eye Irrit. 2: Eye irritation, Category 2, H319

Flam. Liq. 2: Flammable liquids, Category 2, H225

STOT SE 3: Specific toxicity causing drowsiness and dizziness, single exposure, Category 3, H336

GHS label elements, including precautionary statements:

SANS 10234:

Danger



Hazard statements:

Eye Irrit. 2: H319 - Causes severe eye irritation.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

STOT SE 3: H336 - May cause drowsiness or dizziness.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P210: Keep away from heat/sparks/open flames/hot surfaces - No smoking.

P264: Wash thoroughly after use.

P280: Wear protective gloves/protective clothing/respiratory protection/eye protection/protective footwear.

P303+P361+P353: IF ON SKIN (or hair): Immediately remove/take off all contaminated clothing. Immediately rinse skin with water/shower.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents and / or their container according to the separated collection system used in your municipality.

Substances that contribute to the classification

propan-2-ol

Other hazards which do not result in classification:

- CONTINUED ON NEXT PAGE -

EN1276-4 - ALCORUB

SECTION 2: HAZARDS IDENTIFICATION (continued)

Not relevant

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances:



Not relevant

Mixtures:

Chemical description: Mixture of substances

Components:

In accordance with SANS 11014:2010, the product contains:

Identification	Chemical name/Classification	Concentration
CAS: 67-63-0	propan-2-ol Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336 - Danger  	50 - <75%

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST AID MEASURES

Description of necessary first-aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

In case of consumption, seek immediate medical assistance showing the SDS of this product.

Most important symptoms/effects, acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

Indication of immediate medical attention and special treatment needed, if necessary:

Not relevant

SECTION 5: FIRE-FIGHTING MEASURES

Suitable extinguishing media:**Suitable extinguishing media:**

Foam extinguisher (AB), Dry Chemical Powder (ABC) Fire Extinguisher, Carbon dioxide extinguisher (BC)

Unsuitable extinguishing media:

Water jet

Specific hazards arising from the chemical:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

Special protective actions for fire-fighters:

- CONTINUED ON NEXT PAGE -

EN1276-4 - ALCORUB

SECTION 5: FIRE-FIGHTING MEASURES (continued)

Depending on the magnitude of the fire it may be necessary to use full protective clothing and Self Contained Breathing Apparatus. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

Methods and materials for containment and cleaning up:

It is recommended:

Prevent the entrance of product in drains, sewers or watercourses. Absorb the spill using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. Collect the product in appropriate containers and manage it according to current legislation.

Spillages in water or sea:

Small spillages:

Contain spillage using barriers or similar equipment. Use suitable absorbents for collection and treat the waste in accordance with current regulations.

Large spillages:

If possible, contain spillage in open water using barriers or similar equipment. If this is not possible, try to control its spread and collect the product with suitable mechanical means. Always consult experts before using dispersants and make sure you have the necessary approvals if they are to be used. Treat the waste according to current regulations.

Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks,...) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems and with the minimum requirements for protecting the security and health of workers. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

- CONTINUED ON NEXT PAGE -

EN1276-4 - ALCORUB

SECTION 7: HANDLING AND STORAGE (continued)

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Minimum Temp.: 5 °C
Maximum Temp.: 30 °C
Maximum time: 6 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Control parameters:

Substances whose occupational exposure limits have to be assessed in the workplace:

Annexure A of the Hazardous Chemical Substances Regulations, 1995 (Updated 2008):

Identification	Occupational exposure limits		
	propan-2-ol CAS: 67-63-0	TWA OEL-CL	400 ppm
	SHORT TERM OEL-CL	500 ppm	1225 mg/m ³

Biological exposure indices (BEIs) for hazardous chemical agents:

Regulations for hazardous chemical agents 2021

Identification	BEIs®	Determinant	Sample time
propan-2-ol CAS: 67-63-0	40 mg/L	Acetone (urine)	End of shift at end of workweek

Appropriate engineering controls:

A.- Individual protection measures, such as personal protective equipment (PPE)

As a preventative measure it is recommended to use basic Personal Protection Equipment. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

If the working conditions and/or safety measures adopted do not allow keeping the airborne concentration of the product below the exposure limits (if any) or at acceptable levels (if no exposure limits exist), suitable respiratory protection equipment chosen by a qualified professional should be used.

C.- Specific protection for the hands

Not relevant

D.- Eye and face protection

Not relevant

E.- Bodily protection

Not relevant

F.- Additional emergency measures

It is advised to implement additional emergency equipments in workplaces that are particularly exposed to the product or in situations where risk assessments highlight the necessity of such equipments.

It is not necessary to take additional emergency measures.

Environmental exposure controls:

To comply with environmental protection regulations, it is recommended to prevent any spillage of the product and its container. For more detailed information, please refer to subsection 7.1.D.

- CONTINUED ON NEXT PAGE -

EN1276-4 - ALCORUB

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C:	Liquid
Appearance:	Colourless
Color:	Colourless
Odor:	Acetone
Odour threshold:	Not relevant *

Volatility:

Boiling point at atmospheric pressure:	87 °C
Vapour pressure at 20 °C:	3523 Pa
Vapour pressure at 50 °C:	18027.24 Pa (18.03 kPa)
Evaporation rate at 20 °C:	Not relevant *

Product description:

Density at 20 °C:	849.8 kg/m ³
Relative density at 20 °C:	0.85
Dynamic viscosity at 20 °C:	1600 mPa·s
Kinematic viscosity at 20 °C:	1882.78 mm ² /s
Kinematic viscosity at 40 °C:	Not relevant *
Concentration:	Not relevant *
pH:	>8
Vapour density at 20 °C:	Not relevant *
Partition coefficient n-octanol/water 20 °C:	Not relevant *
Solubility in water at 20 °C:	Not relevant *
Solubility properties:	Not relevant *
Decomposition temperature:	Not relevant *
Melting point/freezing point:	Not relevant *

Flammability:

Flash Point:	20 °C
Flammability (solid, gas):	Not relevant *
Autoignition temperature:	399 °C
Lower flammability limit:	Not relevant *
Upper flammability limit:	Not relevant *

Particle characteristics:

Median equivalent diameter:	Not relevant *
-----------------------------	----------------

Other information:

Information with regard to physical hazard classes:

Explosive properties:	Not relevant *
Oxidising properties:	Not relevant *
Corrosive to metals:	Not relevant *
Heat of combustion:	Not relevant *
Aerosols-total percentage (by mass) of flammable components:	Not relevant *

Other safety characteristics:

Surface tension at 20 °C:	Not relevant *
---------------------------	----------------

*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

EN1276-4 - ALCORUB

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Refraction index: Not relevant *

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable

Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.
- Contact with the eyes: Produces eye damage after contact.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- CONTINUED ON NEXT PAGE -

Safety data sheet

According to Regulations for Hazardous Chemical Agents 2021

EN1276-4 - ALCORUB

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
IARC: propan-2-ol (3)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Exposure in high concentration can cause a breakdown in the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Not relevant

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Toxicity:

Not relevant

Persistence and degradability:

Substance-specific information:

Identification	Degradability		Biodegradability	
	propan-2-ol CAS: 67-63-0	BOD5	1.19 g O2/g	Concentration
COD		2.23 g O2/g	Period	14 days
BOD5/COD		0.53	% Biodegradable	86 %

Bioaccumulative potential:

Substance-specific information:

Identification	Bioaccumulation potential	
	propan-2-ol CAS: 67-63-0	BCF
Pow Log		0.05
Potential		Low

Mobility in soil:

Identification	Absorption/desorption		Volatility	
	propan-2-ol CAS: 67-63-0	Koc	1.5	Henry
Conclusion		Very High	Dry soil	Yes
Surface tension		2.24E-2 N/m (25 °C)	Moist soil	Yes

Results of PBT and vPvB assessment:

- CONTINUED ON NEXT PAGE -

EN1276-4 - ALCORUB

SECTION 12: ECOLOGICAL INFORMATION (continued)

Not relevant

Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal methods:

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations. In case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See epigraph 6.2.

Regulations related to waste management:

Legislation related to waste management:

National Environmental Management: Waste act, 2008

National Environmental Management: Waste amendment act, 2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to SANS 10228:



UN number: UN1993
UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (propan-2-ol)
Transport hazard class(es): 3
Labels: 3
Packing group, if applicable: III
Environmental hazard: No
Special precautions for user
Physico-Chemical properties: see section 9
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not relevant

Transport of dangerous goods by sea:

With regard to IMDG 41-22:



UN number: UN1993
UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (propan-2-ol)
Transport hazard class(es): 3
Labels: 3
Packing group, if applicable: III
Marine pollutant: No
Special precautions for user
Special regulations: 274, 223, 955
EmS Codes: F-E, S-E
Physico-Chemical properties: see section 9
Limited quantities: 5 L
Segregation group: Not relevant
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not relevant

Transport of dangerous goods by air:

With regard to IATA/ICAO 2025:

- CONTINUED ON NEXT PAGE -

EN1276-4 - ALCORUB

SECTION 14: TRANSPORT INFORMATION (continued)



UN number: UN1993
UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (propan-2-ol)
Transport hazard class(es): 3
Labels: 3
Packing group, if applicable: III
Environmental hazard: No
Special precautions for user
Physico-Chemical properties: see section 9
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not relevant

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations specific for the product in question:

- Prohibited hazardous chemical agents: Not relevant

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

Other legislation:

Hazardous Substances Act 15 of 1973 and Amendments.
Occupational Health and Safety Act 85 of 1993 and Amendments.
National Environmental Management Act 107 of 1998 and Amendments.
National Environmental Management: Waste Act, 2008 and Amendments.
National Environment Management: Air Quality Act 39 of 2004 and Amendments.
National Water Act 36, 1998 and Amendments.
Basic Conditions of Employment Act 75 of 1997 and Amendments.
HACCP: Hazard analysis and critical control points, ISO: 22000

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with SANS 11014:2010 - Safety data sheet for chemical products — Content and order of sections

Texts of the legislative phrases mentioned in section 2:

H319: Causes severe eye irritation.

H336: May cause drowsiness or dizziness.

H225: Highly flammable liquid and vapour.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

SANS 10234:

Eye Irrit. 2: H319 - Causes severe eye irritation.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

STOT SE 3: H336 - May cause drowsiness or dizziness.

Advice related to training:

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

<https://www.sabs.co.za/>

<https://www.gov.za/documents>

Abbreviations and acronyms:

- CONTINUED ON NEXT PAGE -

EN1276-4 - ALCORUB

SECTION 16: OTHER INFORMATION (continued)

IMDG: International maritime dangerous goods code
IATA: International Air Transport Association
ICAO: International Civil Aviation Organisation
COD: Chemical Oxygen Demand
BOD5: 5-day biochemical oxygen demand
BCF: Bioconcentration factor
LD50: Lethal Dose 50
CL50: Lethal Concentration 50
EC50: Effective concentration 50
Log-POW: Octanol-water partition coefficient
Koc: Partition coefficient of organic carbon
IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

END OF SAFETY DATA SHEET